

LISTA LUCRARILOR PUBLICATE IN STRAINATATE

- [1] Semimicr. theory of two phonon quadrupole octupole vibrations in spherical nuclei; **A.A.Raduta**, A.Sandulescu, P.O.Lipas, **Nucl.Phys.A. 149(1970) 11.**
- [2] Micr. theory of two phonon quadrupole-octupole vibrations in spherical nuclei, **Nucl.Phys.A.181 (1972) 153**, **A.A.Raduta**, A.Sandulescu.
- [3] Boson expansion method and the collective negative parity states in even-even spherical nuclei, **Phys.Rev. C8 (1973) 1525**, **A.A.Raduta**, V.Ceausescu,G.Stratan, A.Sandulescu.
- [4] Boson expansion method and the coupling of different degrees of freedom, **Progr.Th.Phys.3, 52 (1974), 1**, V.Ceausescu, **A.A.Raduta.**
- [5] A microscopical description of the coupling between different degrees of freedom, **Fizika, vol.7, Supplement 2, 1975 pag.80.**, V.Ceausescu, **A.A.Raduta.**
- [6] Some remarks upon a certain relation between two variational boson expansion methods, **Lett. al Nuovo Cimento, 15,4 (1976) 107**, **A.A.Raduta**, V.Ceausescu.
- [7] On the description of double phonon negative parity states of some even - even Sn isotopes, **Lett. al Nuovo Cimento 15, 14 (1976)**, V.Ceausescu, **A.A.Raduta.**
- [8] The competition between different degrees of freedom in the structure of the quintet states of negative parity of some even - even Sn isotopes, **Ann of Phys.100 (1976) 94**, V.Ceausescu, **A.A.Raduta.**
- [9] On the description of the groundstate bands by means of boson Hamiltonian, **Nuclear Physics A 258 (1976) 109**, **A.A.Raduta**, R.M.Dreizler.
- [10] On the simultaneans description of the groundstate and beta bands by means of a boson Hamiltonian. **Z. fur Physik A 278 (1976) 51** , **A.A.Raduta**, M.Badea.
- [11] Toward a new hybridization model for two adjacent bands, **Phys. Lett.63 B (1976) 14**, **A.A. Raduta.**

[12] A simple derivation of a closed formula for Bogoliubov boson transformation, **J. Math. Phys.** **18**, (1977) 648, **A.A.Raduta**, M.Badea, E.Badralexe.

[13] Toward a new approach for the description of the decoupled bands, **Nucl. Phys.A** **272** (1976) **11**, **A.A.Raduta**, V.Ceausescu, R.M.Dreizler.

[14] The structure of high spin states in terms of coherent states. The vibrational and rotational limits. **Z.fur Physik A** **283** (1977) **79**, **A.A.Raduta**, A.Gheorghe, M.Badea.

[15] Upon an extension of the coherent state model to the description of the negative parity bands, **Physica Scripta** **18**, (1978) **167**, M. Badea, **A.A.Raduta**, H.Stock.

[16] The influence of the beta band on the structure of the decoupled bands, **J. Phys. G, Nucl. Phys.** **4** (1978) **1563**, **A.A.Raduta**, C.Sabac.

[17] On the exact solution of the harmonic quadrupole collective Hamiltonian, **Nucl. Phys. A** **296** (1978) **228**, A.Gheorghe, **A.A.Raduta**, V.Ceausescu.

[18] Closed forms of the matrix elements of the quadrupole collective operators, **Nucl. Phys. A** **311** (1978) **118**, **A.A.Raduta**, V.Ceausescu and A.Gheorghe.

[19] The use of the Skyrme interaction and pion condensation of nuclear systems, **J. Physique, Letters**, **41** (1980) **585**, Giu Do Dang, **A.A.Raduta**.

[20] Phenomenological description of three interacting bands, Dresden Conference **ZfK** **404** (1979) **83**, **A.A.Raduta**, V.Ceausescu, A.Gheorghe and R.M.Dreizler.

[21] Boson description of 190 Pt and 192 Pt, **Phys. Lett** **99 B** (1981) **444**, **A.A.Raduta**, V.Ceausescu, A.Gheorghe, R.M.Dreizler.

[22] Phenomenological description of three interacting bands, **Nucl. Phys. A** **381** (1982) **253**, **A.A.Raduta**, V.Ceausescu, A.Gheorghe, R.M.Dreizler.

[23] Coupling of two quasiparticles to a quadrupole vibrational and rotational core projected from coherent states, **Phys. Lett. 121 B (1983) 1**, **A.A.Raduta**, C.Lima, A.Faessler.

[24] Coherent quadrupole states of three interacting bands and the solution of a microscopic Bohr - Mottelson Hamiltonian, **Z. fur Phys. A 312 (1983) 233**, **A.A.Raduta**, A.Faessler, Th.Koppel, C.Lima.

[25] Coherent states model for three interacting bands of positive parity in the rotational limit and its extension to negative parity bands,
A.A.Raduta, C.Sabac, **Ann Phys 148 (1983) 1**.

[26] Coupling of one and two quasiparticles to a Bohr - Mottelson core in 195-198 Hg, M.Treftz, **A.A.Raduta**, A.Faessler, Th.Koppel, **Z.f.Phys. A 312 (1983) 195**.

[27] Coupling of two quasiparticles to coherent cores in Pt isotopes,
Z.fur Physik A 313 (1983) 69, **A.A.Raduta**, C.Lima, A.Faessler.

[28] Semiclassical treatment of the interaction between individual and quadrupole collective degrees of freedom, **A.A.Raduta**, V. Ceausescu, A.Gheorghe,
M.S.Popa, **Nucl. Phys. A 427 (1984) 1**.

[29] Ankopplung eines and Zweier Quasiteilchen an einen Bohr - Mottelson Rumpf in 195, 196, 197, 198 Hg, M.Treftz, **A.A.Raduta**, A. Faessler and Th.Koppel, **Beitrag zur Fruhjahrstagung Kernphys der D.P.G. 3/ 1984, s -969 ik**, Innsbruck 1984 veroffentlicht in den Verhandlungen.

[30] Semiclassical treatment of the particle core coupling, **A.A. Raduta**,
International conference on Symmetries, Reactions and Nuclear Structure,
Proceedings of invited lectures, Dubrovnik 1986, **World Scientific**.

[31] The description of the magnetic states within the generalized coherent states model, **A.A.Raduta**, in Symmetries and Semiclassical Features of Nuclear Dynamics, Proceedings, 1986, **Springer Verlag**, invited lecture.

[32] Symmetries and Semiclassical Features of Nuclear Dynamics Proceedings, 1986, Springer - Verlag, edited by **A.A.Raduta**.

[33] New Results obtained in the frame of the coherent states model for the collective bands, (invited lecture), **A.A.Raduta** in Proceedings of "Critical Phenomena in Heavy Ion Physics", 1982, **World Scientific, Singapore**, ed. V.Ceausescu.

[34] Description of the $K^\pi = 1^+$ magnetic states within a generalised coherent state model, **Phys. Rev. C36 (1987) 2111**, **A.A.Raduta**, A.Faessler, V.Ceausescu.

[35] Coupling of one and three quasiparticles to a collective core projected from quadrupole coherent states **Z. fur Phys. A 327 (1987) 275**, **A.A.Raduta**, S.Stoica.

[36] Simultaneous G.C.S.M. description of the M1 state and the major collective bands, **Nucl. Phys. A 475 (1987) 439**, **A.A.Raduta**, I.I.Ursu and D.S.Delion.

[37] The description of the $K^\pi = 1^+$ isovector M1 state within a boson expansion formalism, **Nucl. Phys. A 489 (1988) 20**, **A.A Raduta**, I.I.Ursu, A.Faessler.

[38] Description of the magnetic properties of the proton-neutron asymmetric states within the generalised coherent states model, **Nucl.Phys. A 491 (1989) 24**, **A.A Raduta**, D.Delion.

[39] Toward a microscopic description of the M1 states in deformed even-odd nuclei, **Z.fur Phys. A 334 (1989) 403**, **A.A. Raduta**, N. Lo Iudice.

[40]. The description of the collective M1 properties of the even-odd nuclei, **Nucl. Phys. A 513 (1990) 11**, **A.A. Raduta**, D. Delion.

[41] The description of M1 states in terms of quadrupole-octupole interacting bands, **Phys.Rev.C 41(1990) 2538**, **A.A. Raduta**, I.I. Ursu, I. Suhonen, N. Lo Iudice.

[42] Low lying positive parity dipole states from a quadrupole-octupole boson Hamiltonian, **Nuovo Cimento vol.101 A Nr.6 (1989) 1037**, **A.A. Raduta**, I.I.Ursu, N. Lo Iudice, I.Suhonen.

[43] The two neutrino double beta decay rate within a higher RPA approach, **Phys. Lett. B 254 (1991) 7** **A.A. Raduta**, A. Faessler, S. Stoica, W. Kaminsky.

[44] The two neutrino double beta decay rate within a boson expansion formalism, **Nucl.Phys.A 534 (1991) 149** **A.A.Raduta**, A.Faessler, S.Stoica.

[45] The single particle motion in a deformed and rotating mean field, **Nucl.Phys. A531(1991)299**, **A.A.Raduta**, N.Sandulescu.

[46] Description of pairing correlations in a large deformation regime without breaking the rotational symmetry, **Int. Jour. Mod. Phys. A.7,4 (1992) 125**, N.Sandulescu, **A.A.Raduta**.

[47] The description of negative parity bands as dipole excitations of a coherent quadrupole state, **Nuovo Cimento, 105A (1992) 633**, **A.A.Raduta**, I.I.Ursu, N.Lo Iudice.

[48] Semimicroscopic description of the alpha clustering in heavy nuclei, **Phys. Rev.C, 44 (1991) 1929**, **A.A.Raduta**, D.Delion, N.Lo Iudice.

[49] Scissors mode and nuclear deformation within the generalized coherent state model, **Phys.Lett. B 300(1993) 195**, N. Lo Iudice, **A.A.Raduta** and D.S.Delion.

[50] Semiclassical description of spin excitations of the particle-core interacting system, **Int. Jour. Mod. Phys. E, vol. 2, No. 3 (1993) 629**, **A.A.Raduta**, N.Sandulescu, J. Suhonen.

[51] Alpha clusters in heavy nuclei, **A. A. Raduta**, Lecture given at International Summer School "New trends in Theoretical and Experimental Nuclear Physics, Predeal 1991, World Scientific, Singapore, **edited by A.A. Raduta**, D.S.Delion and I.I. Ursu

[52] New Trends in Theoretical and Experimental Nuclear Physics, Predeal 1991, Proceedings, World Scientific, Singapore, Edited by **A.A.Raduta**, D.S.Delion and I.I.Ursu.

[53] The use of projected spherical single particle states in deformed nuclei, **A. A. Raduta**, Invited talk at the conference Building Blocks in Nuclear Structure, Amalfi, 1992, ed. A. Covello, **World Scientific, Singapore**.

[54] Description of collective spin excitations in deformed nuclei within a projected single particle basis, **Phys.Rev.C46 (1992) 1782**, **A.A.Raduta**, I.I.Ursu and N.Lo Iudice

[55] A projected single particle basis for deformed nuclei, **Nucl.Phys. A551 (1993) 73**, **A.A.Raduta**, D.S.Delion and N. Lo Iudice.

[56] Towards a new shell model formalism, **A.A.Raduta**, Invited lecture, Nuclear and Atomic Collision Phenomena, Proceedings, Predeal 1992, **Plenum Press, Ed. A.Calboreanu**.

[57] Scissors mode and nuclear deformation: a generalised coherent state approach, **Phys. Rev. C50 (1994) 127**, N. Lo Iudice, **A.A.Raduta** and D.S.Delion.

[58] Unified description of the $2\nu\beta\beta$ decay in spherical and deformed nuclei, **Nucl. Phys. A, 564 (1993) 185**, **A.A.Raduta**, Amand Faessler and D.S.Delion.

[59] Influence of nuclear deformation on the $2\nu\beta\beta$ decay, **Phys.Lett.B, 312 (1993) 13**, **A.A.Raduta**, D.S.Delion and Amand Faessler.

[60] Description of scissors mode within the Moszkowski model, **Phys. Rev. C51 (1995) 2973**, **A.A.Raduta**.

[61] Anharmonic and deformation effects in $2\nu\beta\beta$ decay, **A. A. Raduta**, invited lecture, Proceedings 'Frontier topics in nuclear physics', edited by W. Sheid and A. Sandulescu, **Plenum Press, 1994**.

[62] Description of orbital and spin excitations within a projected spherical single particle basis, **A. A. Raduta**, N. Lo Iudice, I. I. Ursu, **Nucl. Phys. A584 (1995) 84**.

[63] Semiclassical treatment of a cranked triaxial rotor, A. Gheorghe,
A. A. Raduta, V. Ceausescu, **Nucl. Phys. A 637 (1998) 201.**

[64] Semiclassical treatment of the quadrupole boson hamiltonians: New results for small as well as for large amplitude regimes.
Nucl Phys. A588 (1995) 431, **A. A. Raduta**, V. Baran, D. S. Delion.

[65] Description of the $2\nu\beta\beta$ transition rate within the Moszkowski model, **Phys. Rev. C51 (1995) 3008**, **A. A. Raduta**, D. S. Delion and A. Faessler.

[66] Description of beta decay to excited quadrupole phonon states within a boson-expansion formalism, **Phys. Rev. C53 (1996) 176**, **A. A. Raduta** and J. Suhonen.

[67] Boson-expansion description of beta decay to excited final states, **J. Phys. G, Nucl. Phys., 22 (1996) 123**, **A. A. Raduta** and J. Suhonen.

[68] Regular and irregular features of classical motion described by a fourth order quadrupole Hamiltonian, **Phys. Rev. E54 (1996) 3264**, V. Baran, **A. A. Raduta** and D. S. Delion.

[69] Semiclassical foundation of the Coherent State Model (CSM), Submitted to Nucl. Phys., **A. A. Raduta**, and V. Baran.

[70] Two possible improvements for pnQRPA. Application to the $2\nu\beta\beta$ decay, Invited lecture at the Prague workshop on double beta decay, **Czech. Journal of Physics, 48, 1998, No.2, pp. 213-223**, **A. A. Raduta** and C. M. Raduta.

[71] Quantum chaos and order described by quadrupole boson Hamiltonians, **International Journal of Modern Physics E7, 4(1998) 527**, V. Baran , **A. A. Raduta**.

[72] Extensions of Moszkowski model to proton-neutron systems: a) Scissors mode b) Gamow-Teller- $2\nu\beta\beta$ decay, **A. A. Raduta**, invited lecture, Proceedings of International Summer School Collective Motion and Nuclear Dynamics, Predeal 1995, World Scientific, eds. **A. A. Raduta**, D. S. Delion and I. I. Ursu.

[73] Collective Motion and Nuclear Dynamics, Proceedings of International Summer School, Predeal, 1995, World Scientific, eds. **A. A. Raduta**, D. S. Delion and I. I. Ursu

[74] Low lying octupole-bands in the Coherent State Model, **Nucl. Phys. A** **608 (1996) 11**, A. A. Raduta, N. Lo Iudice and I. I. Ursu.

[75] Description of the $K^\pi=0^-, 1^-, 2^-$ octupole bands within the Coherent State Model, **Nuovo Cimento**, vol **109**, N. **12 (1996) 1669**, A. A. Raduta, N. Lo Iudice and I. I. Ursu.

[76] Phenomenological description of rotational bands in the pear shape nuclei, A. A. Raduta, Al. H. Raduta and A. Faessler, **Phys. Rev. C** **55 (1997) 1747**.

[77] Positive and negative parity bands in pear shape nuclei, A. A. Raduta, Al. H. Raduta and A. Faessler, **J. Phys. G. Nucl. Phys.** **23 (1997) 49**.

[78] The nuclear deformation versus the spin-flip like excitations and the suppression of the $2\nu\beta\beta$ decay amplitude, A. A. Raduta, D. S. Delion and Amand Faessler, **Nucl. Phys. A** **617 (1997) 176**.

[79] Toward a full selfconsistent RPA approach and a new proton neutron dipole excitation in some even-even nuclei, A. A. Raduta, M. C. Raduta, W. Kaminski and Amand Faessler, **Nucl. Phys. A** **634 (1998) 497**.

[80] On the phenomenological description of the $K^\pi = 0^-$ bands in some Rn and Ra isotopes, A. A. Raduta, Amand Faessler and R. K. Sheline, **Phys. Rev. C** **57 (1998) 1512**.

[81] Description of the deformed metallic clusters within a projected spherical basis, A. A. Raduta, Al. H. Raduta and Ad. R. Raduta, **Phys. Rev. B** **59 (1999) 8209**.

[82] Description of even-even triaxial nuclei within the Coherent State and the Triaxial Rotation Vibration Models, U. Meyer, A. A. Raduta, Amand Faessler, **Nucl. Phys. A** **637 (1998) 321**.

[83] Phenomenological description of pear shape nuclei (Invited lecture), A. A. Raduta, in "Structure and Stability of Nucleon and Nuclear Systems", Summer School, Predeal 1998, eds. A. A. Raduta, S. Stoica and I. I. Ursu, **World Scientific, Singapore, 1999**.

[84] A fully self-consistent pnQRPA description of the $2\nu\beta\beta$ decay (Invited lecture), A. A. Raduta in "Structure and Stability of Nucleon and Nuclear Systems", Summer School, Predeal 1998, eds.

A. A. Raduta, S. Stoica and I. I. Ursu, World Scientific, Singapore, 1999.

[85] Structure and Stability of Nucleon and Nuclear Systems, Proceedings of the International Summer School, Predeal 1998, eds. **A. A. Raduta, S. Stoica and I. I. Ursu, World Scientific, Singapore, 1999.**

[86] Renormalized boson expansion treatment of the $2\nu\beta\beta$ decay rate, **A. A. Raduta, F. Simkovic and Amand Faessler, Journal of Physics G, 26 (2000)793.**

[87] Quasiparticle Random Phase Approximation with Pauli Exclusion Principle, **F. Simkovic, A. A. Raduta, M. Veselsky and Amand Faessler, Phys. Rev. C, 61 (2000) 044319.**

[88] Semiclassical description of a proton neutron interacting system, **A. A. Raduta, O. Haug, F. Simkovic and Amand Faessler, Nucl. Phys. A, A671 (2000) 255.**

[89] Renormalised boson expansion for the $2\nu\beta\beta$ decay, **A. A. Raduta, Invited talk at the International Workshop on double beta decay, Prague 1999, Czech. Journal of Phys., v. 50, 4 (2000) 519.**

[90] New collective modes for a many-body system with proton-neutron pairing interaction, **A. A. Raduta, O. Haug, F. Simkovic and Amand Faessler, Jour. of Phys. G, 26(2000)L1-L8.**

[91] Isospin and particle number projection with generalized nucleon-nucleon pairing, **A. A. Raduta and E. Moya de Guerra, Ann. Phys. N. Y., 284 (2000) 1.**

[92] Theoretical results and experimental projects for $0\nu\beta\beta$ decay, **A. A. Raduta, C. M. Raduta, Ceh. Journal of Phys., 50, 4 (2000) 581.**

[93] Semi-classical treatment of the proton-neutron two body interaction, **A. A. Raduta, L. Pacearescu, V. Baran, P. Sarriguren, E. Moya de Guerra, Nucl. Phys. A675 (2000) 503 .**

[94] New features of the proton-neutron collective states, **A. A. Raduta, M. C. Raduta and B. Codirla, Nucl. Phys. A. 678 (2000) 382.**

[95] Some new properties of deformed atomic clusters described in a projected spherical basis, **A. A. Raduta, E. Garrido and E. Moya de Guerra, Eur. Phys. Jour. D 15 (2001) 65.**

[96] New results on the $2\nu\beta\beta$ decay, **A. A. Raduta**, in "Nuclei far from Stability and Astrophysics", page 233, NATO, ASI, Predeal, 2000, **Plenum Press**, eds. **H. Rebel, D. Poenaru and J. Wenz**.

[97] Quasiparticle Random Phase Approximation with an optimal Ground State. New Solutions, F. Simkovic, M. Smotlak and **A. A. Raduta**, **Jour. Phys. G: Nucl. Part. Phys.** **27 (2001) 1757-1765**.

[98] Ground state particle-particle correlations and double beta decay, **A. A. Raduta**, P. Sarriguren, A. Faessler and E. Moya de Guerra, **Ann. Phys. (N.Y.)** **294 (2001) 182-202**.

[99] New results for decay with large particle-particle two body proton-neutron interaction, **A. A. Raduta**, O. Haug, F. Simkovic and A. Faessler, **Jour. Phys. G: Nucl. Part. Phys.** **27 (2001) 1-25**.

[100] Neutrinoless double betadecay of ^{76}Ge , ^{82}Se , ^{100}Mo and ^{136}Xe to excited 0^+ states, F. Simkovic, M. Novak, W. A. Kaminski, **A. A. Raduta** and A. Faessler, **Phys. Rev C** **64 (2001) 035501**.

[101] Looking for an optimal Ground State within Quasiparticle Random Phase Approximation, M. Smotlak, F. Simkovic and **A. A. Raduta**, **Czech. Jour. Phys.**, **52 (2002) 521**.

[102] Unified description of three positive and three negative rotational bands, **A. A. Raduta**, D. Ionescu and A. Faessler, **Phys. Rev. C** **65 (2002) 233**.

[103] Description of collective magnetic states for some even-even Sm isotopes, **A. A. Raduta**, A. Escuderos and E. Moya de Guerra, **Phys. Rev. C** **65 (2002) 0243121-02431217**.

[104] Ground State of Double Beta Decayng Nuclei, **A. A. Raduta**, **Progr. Part. Nucl. Phys.** **48 (2002) 233-242**.

[105] New features of collective motion of the intrinsic degrees of freedom. Toward a possible way to classify the intrinsic states, **A. A. Raduta**, L. Pacearescu and V. Baran, **Phys. Rev. C** **67 (2003) 014301**.

[106] Unified description of three Positive and three Negative Parity Interacting Bands, **A. A. Raduta** and D. Ionescu, Lecture

given at International **Rila Conference "Nuclear Theory 21"**, ed. V. Nikolaev, **Heron Press, Sofia, 2002.**

[107] Quadratic expression for Excitation Energies of Analog States in the $f7/2$ shell, L. Zamick, S.J.Q. Robinson, E. Moya de Guerra and **A. A. Raduta**, **Bull. Amm. Phys. Soc. East Lansing, October 2002, GG.004.**

[108] Isospin Conserving Pairing Interaction (ICP) vs. Q.Q, S.J.Q. Robinson, L. Zamick, E. Moya de Guerra, **A. A. Raduta** and M.S. Fayache, **Bull. Amm. Phys. Soc. , East Lansing, October 2002, GG. 006**

[109] New signatures for octupole deformation in some actinide nuclei, **A. A. Raduta** and D. Ionescu, **Phys. Rev. C 67 (2003) 044312.**

[110] Charge exchange operators sum rules and proton-neutron $T=0$ and $T=1$ pairing interactions, E. Moya de Guerra, **A. A. Raduta**, L. Zamick and P. Sarriguren, **Nucl. Phys. A 727 (2003) 3025.**

[111] New features of positive and negative parity rotational bands in ^{226}Ra , **A. A. Raduta**, D. Ionescu, I. I. Ursu and A. Faessler, **Nucl. Phys. A 720 (2003) 43.**

[112] Gamow-Teller strength distribution in ^{76}Ge and ^{76}Se from deformed QRPA, P. Sariguren, E. Moya de Guerra, L. Paceaescu, A. Faessler, F. Simkovic, **A. A. Raduta**, **Phys. Rev. C 67 (2003) 044313.**

[113] Non-Scissors-Mode Behavior of Isovector Dipole Orbital Transitions Involving Isospin Transfer, A. Aroua, M.S. Fayache, L. Zamick, Y. Y. Sharon, E. Moya de Guerra, P. Sarriguren, **A. A. Raduta**, **Nucl. Phys. A 728 (2003) 96-108.**

[114] Description of Single and Double analog States in the $f7/2$ shell: the Ti isotopes, **A. A. Raduta**, L. Zamick, E. Moya de Guerra, A. Faessler and P. Sarriguren, **Phys. Rev. C, 68 (2003) 044317.**

[115] Counting Pairs with the McCullen and Other Interactions, L. Zamick, A. Mckjian, E. Moya de Guerra, P. Sarriguren and **A. A. Raduta**, **Bull. Am. Phys. Soc., Tucson, Oct. 2003, HE.005.**

[116] Coherent State Model for several collective interacting bands, **A. A. Raduta**, capitol de 102 pagini in cartea **Recent Developments in Nuclear Physics, 1(2004):1-70 ISBN: 81-7895-124-X.**

[117] New results for the two neutrino double beta decay in deformed nuclei with an angular momentum projected basis, **A. A. Raduta**, A. Escuderos, A. Faessler, E. Moya de Guerra and P. Sarriguren, **Phys. Rev. C** **69**, (2004) **064321**.

[118] Expression for the number of $J=0$ pairs in even-even Ti isotopes, L. Zamick, A. Escuderos, S.J. Lee, A. L. Mekjan, E. Moya de Guerra, **A. A. Raduta**, P. Sarriguren, **Phys.Rev.** **C71** (2005) **024307**.

[119] New results for the missing quantum numbers labeling the quadrupole and octupole boson states, A. Gheorghe and **A. A. Raduta**, **Jour. Phys. A: Math. Gen.** **37** (2004) **10951**.

[120] Remarks on the shape transition from spherical to deformed gamma unstable nuclei, **A. A. Raduta**, A. Gheorghe and A. Faessler, **Jour. Phys. Phys. G.** **31** (2005) **337-353**.

[121] Gauge invariant counterparts and quantization of systems under holonomic constraints, M. S. Krivoruchenko, A. Faessler, **A. A. Raduta** and M. Fuchs, **Phys. Lett B.** **608** (2005) **164**.

[122] New results for the two neutrino double beta decay in deformed nuclei with angular momentum projected basis, **A. A. Raduta**, C. M. Raduta and A. Escuderos, **Phys. Rev. C** **71** (2005) **024307**.

[123] New results for the fully renormalized pnQRPA formalism, C. M. Raduta and **A. A. Raduta**, **Nucl. Phys. A** **756** (2005) **153-175**.

[124] Expressions for the number of pairs of a given angular momentum in the single j shell model: Ti isotopes, L. Zamick, A. Escuderos, J. S. Lee, A. Mekjan, E. Moya de Guerra, **A. A. Raduta** and P. Sarriguren, 8th International Symposium Conference on Nuclear Physics: Paestum, **World Scientific**, 2004, ed. **A. Covelio**.

[125] Coherent state description of the shape phase transition in even-even Gd isotopes, **A. A. Raduta** and A. Faessler, **Jour. Physics G**, **31**(2005) **873-901**.

[126] Semiclassical description of a sixth order quadrupole boson Hamiltonian, **A. A. Raduta**, A. D. Aaron and I. I. Ursu, **Nucl. Phys. A** **772** (2006) **20-54**.

[127] Underlying gauge symmetries of systems with second class constraints M. I. Krivoruchenko, A. Faessler, **A. A. Raduta** and C. Fuchs, **International Journal of Modern Physics A**, vol. 22, nr. 4 (2007) 787-833.

[128] Quantum deformation of the Dirac bracket, M. I. Krivoruchenko, **A. A. Raduta** and Amand Faessler, **Phys. Rev. D** 73, 029905 (2006).

[129] Description of positive and negative parity dipole bands in octupole deformed nuclei, **A. A. Raduta**, C.M. Raduta and Amand Faessler, **Phys. Lett. B**, 635 (2006) 80-84.

[130] Positive and negative parity bands in ^{226}Ra , **A. A. Raduta** and C. M. Raduta, **Nucl. Phys. A** 768 (2006) 170.

[131] Quantum deformation of the Dirac bracket, M. I. Krivoruchenko, **A. A. Raduta** and Amand Faessler, **Phys. Rev. D** 73, 025008 (2006).

[132] Simultaneous description of four positive and four negative parity bands, **A. A. Raduta**, Al. H. Raduta and C. M. Raduta, **Phys. Rev. C** 74 (2006) 044312.

[133] Solvable models for the gamma deformation having $X(5)$ as limiting symmetry. Removing some drawbacks of the existent descriptions, **A. C. Gheorghe**, **A. A. Raduta** and A. Faessler, **Nucl-th/0607004**, **Phys. Lett. B** 648 (2007) 171-175.

[134] Double beta decay to the first 2^+ state within a boson expansion formalism with a projected spherical single particle basis, **A. A. Raduta**, C. M. Raduta, **nucl-th/0612031**, **Phys. Lett. B** 647 (2007) 265-270.

[135] Description of four positive and four negative parity bands, **A. A. Raduta**, **C. M. Raduta**, Lecture delivered at the International Summer School, **Collective Motion and Phase Transitions in Nuclear Systems, Predeal 2006**, World Scientific, Singapore, eds. **A. A. Raduta**, V. Baran and I. I. Ursu.

[136] **Collective Motion and Phase Transitions in Nuclear Systems, Predeal 2006**, proceedings, World Scientific, Singapore, eds. **A. A. Raduta**, V. Baran and I. I. Ursu (700 pages).

- [137] Overview on the $2\nu\beta\beta$ decay to the first 2^+ state, **A. A. Raduta and C.M. Raduta**, invited lecture at the International Conference "Changing facets of the Nuclear Structure", director A. Covello, World Scientific, 2008, p.209.
- [138] A simple description of the states 0^+ and 2^+ in ^{168}Er , **A. A. Raduta** and F.D. Aaron, arXiv:Nucl-th 0704.2764, Jour. Phys. G. 34 (2007) 2053-2061
- [139] C. M. Raduta, **A. A. Raduta**, Unified description of the double beta decay to the first quadrupole phonon state in spherical and deformed nuclei, **Phys. Rev. C 76, 044306, (2007)**.
- [140] **A.A. Raduta**, R. Budaca, C.M. Raduta, Semiclassical description of a triaxial rigid rotor, **Phys. Rev. C, 76, 064309, (2007)**.
- [141] Collective dipole excitations in sodium clusters, **A. A. Raduta, R. Budaca, Al. H. Raduta**, arXiv:0812.0744/phys.atm-clus, **Phys. Rev. A. 79, 023202 (2009)**.
- [142] Remarks on monopole charge properties within the generalized Coherent State Model, **A. A. Raduta, C. M. Raduta, E. Moya de Guerra, P. Sarriguren**, **Jour. Phys. G 36 (2009) 015114 and arXiv:0810.4073/Nucl. Th.**
- [143] Phenomenological description of the states 0^+ and 2^+ in some even-even nuclei, **A. A. Raduta, F. D. Aaron, E. Moya de Guerra and Amand Faessler**, arXiv:0810.4073/Nucl-Th., **Jour. Phys. G. 36 (2009) 055101 (25 pp)**
- [144] A solvable model which has $X(5)$ as a limiting symmetry and removes some inherent drawbacks, **A. A. Raduta, A. C. Gheorghe, P. Buganu and A. Faessler**, arXiv:0811.3511/nucl-th, **Nucl. Phys. A. 819 (2009) 46-78.**
- [145] The CSM extension to the odd-even octupole deformed nuclei, **A. A. Raduta, C. M. Raduta, Amand Faessler**, **Phys. Rev. C 80, 044327 (2009)**.
- [146] Sum rule for a Schiff-like dipole moment, **A. A. Raduta** and R. Budaca, **Int. Jour. Mod. Phys. B, Atomic, Molecular and Optical Physics, 25 (2011) 467-478.**
- [147] Description of the $2\nu\beta\beta$ decay within a fully renormalized pnQRPA approach with a restored gauge symmetry, **C. M. Raduta and A. A. Raduta**, **Phys. Rev. C, 82, 068501 (2010)**.

[148] Description of the $2\nu\beta\beta$ decay within a fully renormalized pnQRPA approach with a restored gauge symmetry, C. M. Raduta and A. A. Raduta, **Journal of Physics G; Nucl. Part. Physics**, **38** (2011) 055102.

[149] Closed formulas for ground band energies of nuclei with various symmetries, A. A. Raduta, R. Budaca and Amand Faessler, **Jour. Phys. G; Nucl. Part. Phys**, **37** (2010) 085108.

[150] Collective properties of Na clusters, A. A. Raduta, Al. H. Raduta and R. Budaca, **Journal of Superconductivity and Novel Magnetism**, DOI 10.1007/s 10948-010-0962-y; **24**(2011)645-651.

[151] Towards a new description of triaxial nuclei, A. A. Raduta, P. Buganu, **Phys. Rev. C**, **83** (2011) 034313.

[152] Semi-phenomenological description of the backbending phenomena in some deformed even-even nuclei, A. A. Raduta, R. Budaca, **Phys. Rev. C** **84**, 044323(2011).

[153] New teoretical results for $2\nu\beta\beta$ decay within a fully renormalized proton-neutron random phase approximation approach with the gauge symmetry resored, C. M. Raduta, A. A. Raduta,, I. I. Ursu, **Phys. Rev. C** **84**, 064322 (2011).

[154] New features of the triaxial nuclei described with a coherent state model, P. Buganu, A. A. Raduta, **J. Phys. G: Nucl. Part. Phys.** **39** (2012) 025103-22.

[155] Analytical description of the coherent state model for near vibrational and well deformed nuclei, A. A. Raduta, R. Budaca and Amand Faessler, **Ann Phys [NY]** **327** (2012) 671-704.

[156]Some exact results for the particle number projected BCS approach of the isovector proton-neutron pairing, A. A. Raduta, M. I. Krivoruchenko and A. Faessler, **Phys. Rev. C** **85** (2012) 054314.

[157] Interplay of classical and quantal features within the coherent-state model, A. A. Raduta and C. M. Raduta, **Phys. Rev. C** **86** (2012) 054307.

[158] Application of the sextic oscillator with centrifugal barrier and the spheroidal equation for some X(5) candidate nuclei, **A. A. Raduta and P. Baganu, J. Phys. G: Nucl. and Part. Physics, Phys. 40 (2013) 025108.**

[159] Semi-microscopic description of the double backbending in some deformed even-even rare earth nuclei, **R. Budaca and A. A. Raduta, J. Phys. G: Nucl. and Part. Phys. Phys. 40 (2013) 025109.**

[160] Description of the isotope chain 180-196Pt within several solvable approaches, **A. A. Raduta, P. Baganu, Phys. Rev. C 88 (2013) 064328.**

[161] FRpnQRPA approach with the gauge symmetry restored. Application for the $2\nu\beta\beta$ decay, **A. A. Raduta** and C. M. Raduta, Proceedings of the International conference NSRT-2012, Dubna, EPJ Web of Conferences 38, 14003 (2012), DOI: 10.1051/epjconf/20123814003.

[162] $2\nu\beta\beta$ decay within a higher pnQRPA approach with the gauge symmetry preserved, **A. A. Raduta** and C. M. Raduta, International Summer School "Dynamics of open nuclear systems", Predeal 2012, **IOP Publishing Journal of Physics: Conference Series 413 (2013) 012014 doi:10.1088/1742-6596/413/1/012014.**

[163] A semi-microscopic approach to the backbending phenomena in even-even nuclei **A A Raduta** and R Budaca, International Summer School "Dynamics of open nuclear systems", Predeal 2012, **IOP Publishing Journal of Physics: Conference Series 413 (2013) 012028, doi:10.1088/1742-6596/413/1/012028**

[164] Towards a new solvable model for the even-even triaxial nuclei, **A. A. Raduta, P. Baganu, International Summer School "Dynamics of open nuclear systems", Predeal 2012, IOP Publishing Journal of Physics: Conference Series 413 (2013) 012029 doi:10.1088/1742-6596/413/1/012029.**

[165] A new picture for the chiral symmetry properties within a particle-core framework, **A. A. Raduta, C. M. Raduta and Amand Faessler, J. Phys. G: Nucl. Part. Phys 41(2014)035105(27pp); doi:10.1088/0954-3899/41/3/035105.**

[166] Application of the sextic oscillator potential together with Mathieu and spheroidal function for triaxial and X(5) type nuclei, **A. A. Raduta** and P. Baganu, **EPJ Web of Conference (Firenze 2013) 66, 02086 (2014), DOI: 10.105/epjconf/20146602086**

[167] Semi-microscopic description of the proton and neutron-induced backbending phenomena in some deformed even-even rare earth nuclei, R. Budaca and A. A. Raduta, *EPJ Web of Conference (Firenze 2013)* **66**, 02017 (2014), DOI: 10.105/epjconf/20146602017

[168] Deformation properties of the projected spherical single particle basis, A. A. Raduta, R. Budaca, *Ann. Phys. [NY]*, **347** (2014) 141-169.

[169] Semi-phenomenological description of the chiral bands in 188,190 Os, A. A. Raduta and C. M. Raduta, *Jour. Phys. G: Nucl. Part. Phys.*, **42**(2015) 065105, 16pp.

[170] A new renormalization procedure of the quasiparticle random phase approximation, A. A. Raduta and C. M. Raduta, *Int. Jour. Mod. Phys. E*, Vol. **25**, No. **3** (2016) 1650017 (21pp)

[171] New type of chiral motion in even-even nuclei: The 138Nd case, A. A. Raduta, Al. H. Raduta and C. M. Petrache, *J. Phys. G: Nucl. Part. Phys.* **43** (2016) 095107.

[172] Specific features of magnetic and chiral bands in nuclei, A. A. Raduta, *Progress in Particle and Nuclear Physics*, **90** (2016) 241-298.

[173] Alternative description of the chiral bands in 138Nd, A. A. Raduta, C. M. Raduta and Al. H. Raduta, *J. Phys. G: Nucl. Part. Phys.* **44** (2017) 045102

[174] Teoria difuziei magneto-optice multiplu coerenta in formalismul matricii densitatii, A. A. Raduta, *St. Cerc. Fiz.* **20**, **5** (1968) 503.

[175] Influenta fortelor de imperechere asupra starilor collective in aproximatia fazelor intimplatoare, A. A. Raduta, *St. Cerc. Fiz.* **19**, **1** (1967) 3.

[176] On the quadrupole octupole interaction and the phonon states, A. A. Raduta, A. Sandulescu, *Rev. Roum. Phys.* **12**, **8** (1967) 765.

[177] On the quadrupole interaction and the two quadrupole-octupole phonon states, A. A. Raduta, G. Stratan, A. Sandulescu, *Rev. Roum. Phys.* **12**, **9** (1967) 869.

[178] A coupling between quadrupole and octupole phonon states, **A. A. Raduta**, A. Sandulescu, **Preprint IFA FT-68/1968**.

[179] On the quadrupole-octupole harmonicity in the vibrational motion of even-even spherical nuclei, **A. A. Raduta**, G. Stratan, A. Sandulescu, **Preprint IFA-69/1968**.

[180] Alpha decay of even-even and even-odd spherical nuclei when one or both nuclei are in excited collective states, **A. A. Raduta**, A. Sandulescu, **Rev. Roum. Phys. 15, 10 (1970) 1073**.

[181] On the quadrupole octupole anharmonicity in spherical nuclei, **A. A. Raduta**, A. Sandulescu, **Rev. Roum. Phys. 16, 7 (1971) 677**.

[182] Microscopic description of the quadrupole-octupole anharmonicities in spherical nuclei, **A. A. Raduta**, **Rev. Roum. Phys. 18, 7(1973) 901**.

[183] Aproximatia BCS in studiul nucleelor supraconductoare, V. Ceausescu, **A. A. Raduta**, **St. Cerc. Fiz. 25, 4 (1973) 575**.

[184] **Asupra unor metode aproximative de tratare a fortelor de imperechere**, V. Ceausescu, **A. A. Raduta**, **St. Cerc. Fiz. 25, 6 (1973) 717**.

[185] Folosirea aproximatiei fazelor intimplatoare in studiul structurii nucleelor sferice, **A. A. Raduta**, V. Ceausescu, E. Badralexu, **St. Cerc. Fiz. 28,6 (1976) 617**.

[186] **Asupra unor aspecte fundamentale ale aproximatiei fazelor intimplatoare in probleme de structura nucleara**, **A. A. Raduta**, V. Ceausescu, E. Badralexu, **St. Cerc. Fiz. 28, 7 (1976) 707**.

[187] A new model for a simultaneous description of the groundstate and beta bands, **A. A. Raduta**, **Rev. Roum. Phys. 21, 6 (1976) 601**.

[188] Upon an elementary way to derive a closed formula for the Bogoliubov boson transformation, **A. A. Raduta**, E. Badralexu, M. Badea, **Rev. Roum. Phys. 21, 9 (1978) 959**.

- [189] New attempts for describing the high spin states of rotational bands, **A. A. Raduta** in Proceedings of the International School on Nuclear Physics, 1976, Predeal, Romania, Invited lecture.
- [190] Upon a perturbative treatment of the decoupled bands, **A. A. Raduta**, C. Sabac, Stock, **Rev. Roum. Phys. 22 (1977) 1071.**
- [191] Upon a simplified version of the coherent states model for the yrast bands of even-even nuclei, **A. A. Raduta**, C. Sabac, **Rev. Roum. Phys. 22 (1977) 613.**
- [192] Toward an unified approach to collective quadrupole nuclear motion, A.A. Raduta Predeal, 1978, Invited lecture.
- [193] Boson description of asymmetric rotator, **A. A. Raduta**, M. Badea, **Rev. Roum. Phys. 21 (1979) 743.**
- [194] Phenomenological description of three interacting bands, **A. A. Raduta**, V. Ceausescu, A. Gheorghe, R. Dreizler, **Preprint FT-190-1980.**
- [195] Phenomenological description of three interacting bands, **A. A. Raduta**, V. Ceausescu, A. Gheorghe, R. M. Dreizler, in Proceedings of Critical Phenomena in Heavy Ion Physics, Poiana Brasov, 1980, Invited lecture.
- [196] Interband and intraband E2 transition probabilities for three interacting bands. Vibrational and rotational limits. **A. A. Raduta**, **Rev. Roum. Phys. 28 3 (1983) 195.**
- [197] Upon the treatment of the interaction of one particle and a quadrupole vibrational core, **A. A. Raduta**, C. Sabac, S. Stoica, **Rev. Roum. Phys. 27, 10 (1982) 897.**
- [198] The influence of three quasiparticle states on the yrast bands of the transitional odd mass nuclei, **A. A. Raduta**, S. Stoica, **Rev. Roum. Phys. 28, 3 (1983) 211.**
- [199] The energies predicted by the coherent states model for near vibrational nuclei, **A. A. Raduta**, C. Sabac, S. Stoica, **Rev. Roum. Phys. 29 1 (1984) 55.**

[200] The phenomenological description of the rotational spectra of Pt, **A. A. Raduta**, C. Sabac, S. Stoica, **Rev. Roum. Phys. 28, 10 (1983) 867.**

[201] Semiclassical treatment of the interaction between individual and quadrupole collective degrees of freedom, **A. A. Raduta**, V. Ceausescu, A. Gheorghe, M. S. Popa, **Preprint FT-236-1984.**

[202] The description of the (e,e') form factor and the BM1 probability for the magnetic state 1^+ within the generalised coherent state model, **A. A. Raduta**, I. I. Ursu, D. S. Delion, **Rev. Roum. Phys. 31, 8 (1986) 799.**

[203] Description of the even-even Gd isotopes in terms of projected quadrupole coherent states, **A. A. Raduta**, N. Sandulescu, **Preprint FT-269-1985, Rev. Roum. Phys. 31, 8 (1986) 765.**

[204] Description of the $K^\pi = 1^+$ isovector states within a generalised coherent state model, **A. A. Raduta**, V. Ceausescu, A. Faessler, **Rev. Roum. Phys. 31, 8 (1986) 235.**

[205] Coupling of one and three quasiparticles to a collective core projected from quadrupole coherent states, **A. A. Raduta**, S. Stoica, **Preprint FT-294-1986.**

[206] The description of the magnetic state 1^+ in terms of quadrupole and octupole interacting bosons, **A. A. Raduta**, I. I. Ursu, I. Suhonen, **Rev. Roum. Phys. 32 (1987) 1045.**

[207] The HRPA treatment of the collective magnetic state 1^+ , **A. A. Raduta**, I. I. Ursu, A. Faessler, **FT-330-1988.**

[208] Collective M1 and M3 properties of deformed nuclei within the generalised coherent state model, **A. A. Raduta**, D. S. Delion, **Rev. Roum. Phys. 33, 9 (1988) 1301.**

[208] On some phenomenological and microscopic features of the collective magnetic state 1^+ in the even-even deformed nuclei, **A. A. Raduta**, I. I. Ursu, **Rev. Roum. Phys. 33 (1988) 853.**

[210] The description of the collective M1 properties of the even-odd nuclei, D. S. Delion, **A. A. Raduta, Rev. Roum. Phys. 34 1(1989) 12.**

[211] The influence of the particle core dipole-dipole interaction on the collective M1 states of the deformed even-odd nuclei, D. S. Delion, **A. A. Raduta, Rev. Roum. Phys, 34, 1 (1989) 17.**

[212] Some microscopic features of the magnetic dipole states induced by the quadrupole-octupole correlations, **A. A. Raduta, I. I. Ursu, Rev. Roum. Phys. 35, 1(1990) 53.**

[213] Description of the particle core interaction within a projection after variation formalism, **A.A. Raduta, N. Sandulescu, Rev. Roum. Phys. 35 (1990) 613.**

[214] Toward an unified microscopic description of the spherical and deformed nuclei, **A. A. Raduta, N. Sandulescu, Rev. Roum. Phys. 36 (1991) 133.**

[215] Semiclassical description of the cranked particle core interaction, **A. A. Raduta, N. Sandulescu, Rev. Roum. Phys. 36 (1991) 851.**

[216] Chaos and regular motion for the collective quadrupole coordinates of the nuclear system, V. Baran, **A. A. Raduta, D. S. Delion, Roum. Jour. Phys. 4-5 (1995) 411.**

[217] Towards a new phenomenological description of nuclei with static octupole shapes, Al. H. Raduta and **A. A. Raduta. Roum. Jour. Phys., 41, 8-9 (1995) 13.**

[218] Toward a fully renormalised pnQRPA description of the $2\nu\beta\beta$ decay, **A. A. Raduta, C. M. Raduta and I. I. Ursu, Roum. Jour. Phys., 43, 1-2 (1998) 507 .**

[219] Energy displacement function as a signature for octupole deformation in excited states, **A. A. Raduta, D. Ionescu and I. I. Ursu, Rom. Journ. Phys., 48 (2003) 185**

[220] Unified description of the double beta decay to the first excited quadrupole phonon state in spherical and deformed nuclei, C. M. Raduta, **A.A.Raduta, Romanian Progress in Physics, 59,2,(2007) 577-587.**

[221]The double beta decay $0^{+} \rightarrow 2^{+}$ within a boson expansion approach, **A. A. Raduta and C. M. Raduta, Physics AUC, vol. 18, 53-76 (2008).**

[222] Unified description of double beta decay $0^{+} \rightarrow 2^{+}$ for spherical and deformed nuclei with a projected spherical single particle basis, **A. A. Raduta** and C. M. Raduta, **Annals of Physics, Academy of Romanian Scientists**, in press.

[223] $2\nu\beta\beta$ decay to one phonon states, A. A. Raduta and C. M. Raduta, **Roumanian Journal of Physics**, **53**, 9-10 (2008) 1183.

[224] A possible interpretation of the multiplets 0^{+} and 2^{+} in ^{168}Er , **A. A. Raduta**, F. D. Aaron and C. M. Raduta, **Roumanian Journal of Physics**, Vol. 54, Nr. 9-10 (2009) 887.

[225] Extension of the Thomas-Reiche-Kuhn sum rule to a Schiff-like dipole moment, **A. A. Raduta** and R. Budaca, **Rom. Jour. Phys.**, nr. Vol. 55, Nr. 1-2, (2010), 75.

[226] A phenomenological interpretation of the multiplets 4^{+} and 6^{+} , **A. A. Raduta**, P. Buganu, D. Bucurescu and I. Ursu, **Rom. Jour. Phys.** Vol. 55, No. 9-10 (2010) 850.

[227] New results for $2\nu\beta\beta$ decay within a fully renormalized pnQRPA approach with restored gauge symmetry, C. M. Raduta, **A. A. Raduta** and I. I. Ursu, **Romanian Journal of Physics**, vol 56, Nr. 7-8 (2011) 894.

[228] Simultaneous Description of Positive and Negative Parity Bands in even-even and even-odd Nuclei, **A. A. Raduta** and C. M. Raduta, **Physics AUC**, **21** (2011) 28-53.

[229] FrpnQRPA approach with the gauge symmetry restored. Application for the $2\nu\beta\beta$ decay, **A. A. Raduta**, **Rom. Jour. Phys.** Vol 57, Nr. 1-2 (2012) 442

[230] Compact formulas for rotational bands energies in transuranic region, R. Budaca, **A. A. Raduta**, **Rom. Jour. Phys.** , 57, 7-8 (2012) 1088.

[231] Can the coherent state model describe the triaxial nuclei?. P. Buganu, **A. A. Raduta**, **Rom. Jour. Phys.** , 57, 7-8 (2012) 1103.

[232] Energy spectra, E2 transition probabilities and shape deformations for the even-even isotopes 180-196 Pt, P. Buganu and **A.A. Raduta**, **Rom. Jour. Phys.** 60, 1-2 (2015) 161.

