

## **Lucrari publicate in ultimii 10 ani de Prof. Dr. A. A. Raduta**

- [1] Semiclassical description of a sixth order quadrupole boson Hamiltonian, A. A. Raduta, A. D. Aaron and I. I. Ursu, Nucl. Phys. A 772 (2006)20-54.
- [2] Underlying gauge symmetries of systems with second class constraints M. I. Krivoruchenko, A. Faessler, A. A. Raduta and C. Fuchs, International Journal of Modern Physics A, vol. 22, nr. 4 (2007) 787-833.
- [3] Quantum deformation of the Dirac bracket, M. I. Krivoruchenko, A. A. Raduta and Amand Faessler, Phys. Rev. D 73, 029905 (2006).
- [4] Description of positive and negative parity dipole bands in octupole deformed nuclei, A. A. Raduta, C.M. Raduta and Amand Faessler, Phys. Lett. B, 635 (2006) 80-84.
- [5] Positive and negative parity bands in  $^{226}\text{Ra}$ , A. A. Raduta and C. M. Raduta, Nucl. Phys. A 768 (2006) 170.
- [6] Quantum deformation of the Dirac bracket, M. I. Krivoruchenko, A. A. Raduta and Amand Faessler, Phys. Rev. D 73, 025008 (2006).
- [7] Simultaneous description of four positive and four negative parity bands, A. A. Raduta, Al. H. Raduta and C. M. Raduta, Phys. Rev. C74 (2006) 044312.
- [8] Solvable models for the gamma deformation having X(5) as limiting symmetry. Removing some drawbacks of the existent descriptions, A. C. Gheorghe, A. A. Raduta and A. Faessler, Nucl-th/0607004, Phys. Lett. B 648 (2007) 171-175.
- [9] Double beta decay to the first  $$2^+ + $$  state within a boson expansion formalism with a projected spherical single particle basis, A. A. Raduta, C. M. Raduta, nucl-th/0612031, Phys. Lett. B 647 (2007) 265-270.
- [10] Description of four positive and four negative parity bands, A. A. Raduta, C. M. Raduta, Lecture delivered at the International Summer School, Collective Motion and Phase Transitions in Nuclear Systems, Predeal 2006, World Scientific, Singapore, eds. A. A. Raduta, V. Baran and I. I. Ursu.

[11] **Collective Motion and Phase Transitions in Nuclear Systems**, Predeal 2006, proceedings, World Scientific, Singapore, eds. A. A. Raduta, V. Baran and I. I. Ursu (700 pages).

[12] Overview on the  $2nbb$  decay to the first  $2^{\pm}$  state, A. A. Raduta and C. M. Raduta, invited lecture at the International Conference “Changing facets of the Nuclear Structure”, director A. Covello, World Scientific, 2008, p.209.

[13] A simple description of the states  $0^{\pm}$  and  $2^{\pm}$  in  $^{168}Er$ , A. A. Raduta and F. D. Aaron, arXiv:Nucl-th 0704.2764, Jour. Phys. G. 34 (2007) 2053-2061

[14] C. M. Raduta, A. A. Raduta, Unified description of the double beta decay to the first quadrupole phonon state in spherical and deformed nuclei, Phys. Rev. C 76, 044306, (2007).

[15] A. A. Raduta, R. Budaca, C. M. Raduta, Semiclassical description of a triaxial rigid rotor, Phys. Rev. C, 76, 064309, (2007).

[16] Collective dipole excitations in sodium clusters, A. A. Raduta, R. Budaca, Al. H. Raduta, arXiv:0812.0744/phys.atm-clus, Phys. Rev. A. 79, 023202 (2009).

[17] Remarks on monopole charge properties within the generalized Coherent State Model, A. A. Raduta, C. M. Raduta, E. Moya de Guerra, P. Sarriguren, Jour. Phys. G 36 (2009) 015114 and arXiv:0810.4073/Nucl. Th.

[18] Phenomenological description of the states  $0^+$  and  $2^+$  in some even-even nuclei, A. A. Raduta, F. D. Aaron, E. Moya de Guerra and Amand Faessler, arXiv:0810.4073/Nucl-Th., Jour. Phys. G. 36 (2009) 055101 (25 pp)

[19] A solvable model which has X(5) as a limiting symmetry and removes some inherent drawbacks, A. A. Raduta, A. C. Gheorghe, P. Buganu and A. Faessler, arXiv:0811.3511/nucl-th, Nucl. Phys. A. 819 (2009) 46-78.

[20] The CSM extension to the odd-even octupole deformed nuclei, A. A. Raduta, C. M. Raduta, Amand Faessler, Phys. Rev. C 80, 044327 (2009).

[21] Sum rule for a Schiff-like dipole moment, A. A. Raduta and R. Budaca, Int. Jour. Mod. Phys. B, Atomic, Molecular and Optical Physics, 25 (2011) 467-478.

[22] Description of the  $2\nu\beta\beta$  decay within a fully renormalized pnQRPA approach with a restored gauge symmetry, C. M. Raduta and A. A. Raduta, Phys. Rev. C, 82, 068501 (2010).

[23] Description of the  $2\nu\beta\beta$  decay within a fully renormalized pnQRPA approach with a restored gauge symmetry, C. M. Raduta and A. A. Raduta,  
Journal of Physics G; Nucl. Part. Physics, 38 (2011) 055102.

[24] Closed formulas for ground band energies of nuclei with various symmetries, A. A. Raduta, R. Budaca and Amand Faessler, Jour. Phys. G; Nucl. Part. Phys, 37 (2010) 085108.

[25] Collective properties of Na clusters, A. A. Raduta, Al. H. Raduta and R. Budaca, Journal of Superconductivity and Novel Magnetism, DOI 10.1007/s 10948-010-0962-y; 24(2011)645-651.

[26] Towards a new description of triaxial nuclei, A. A. Raduta, P. Buganu, Phys. Rev. C, 83 (2011) 034313.

[27] Semi-phenomenological description of the backbending phenomena in some deformed even-even nuclei, A. A. Raduta, R. Budaca, Phys. Rev. C84, 044323(2011).

[28] New theoretical results for  $2\nu\beta\beta$  decay within a fully renormalized proton-neutron random phase approximation approach with the gauge symmetry restored, C. M. Raduta, A. A. Raduta,, I. I. Ursu, Phys. Rev. C 84, 064322 (2011).

[29] New features of the triaxial nuclei described with a coherent state model, P. Buganu, A. A. Raduta, J. Phys. G: Nucl. Part. Phys. 39 (2012) 025103-22.

[30] Analytical description of the coherent state model for near vibrational and well deformed nuclei, A. A. Raduta, R. Budaca and Amand Faessler, Ann Phys [NY] 327 (2012) 671-704.

[31] Some exact results for the particle number projected BCS approach of the isovector proton-neutron pairing, A. A. Raduta, M. I. Krivoruchenko and A. Faessler, Phys. Rev. C 85 (2012) 054314.

[32] Interplay of classical and quantal features within the coherent-state model, A. A. Raduta and C. M. Raduta, Phys. Rev. C 86 (2012) 054307.

- [33] Application of the sextic oscillator with centrifugal barrier and the spheroidal equation for some X(5) candidate nuclei, A. A. Raduta and P. Buganu, J. Phys. G: Nucl. and Part. Physics, Phys. 40 (2013) 025108.
- [34] Semi-microscopic description of the double backbending in some deformed even-even rare earth nuclei, R. Budaca and A. A. Raduta, J. Phys. G: Nucl. and Part. Phys. Phys. 40 (2013) 025109.
- [35] Description of the isotope chain 180-196Pt within several solvable approaches,A. A. Raduta, P. Buganu, Phys. Rev. C 88 (2013) 064328.
- [36] FRpnQRPA approach with the gauge symmetry restored. Application for the  $\beta\beta$  decay,A. A. Raduta and C. M. Raduta, Proceedings of the International conference NSRT-2012, Dubna, EPJ Web of Conferences 38, 14003 (2012), DOI: 10.1051/epjconf/20123814003.
- [37]  $\beta\beta$  decay within a higher pnQRPA approach with the gauge symmetry preserved,A. A. Raduta and C. M. Raduta, International Summer School "Dynamics of open nuclear systems", Predeal 2012,IOP Publishing Journal of Physics: Conference Series 413 (2013) 012014  
doi:10.1088/1742-6596/413/1/012014.
- [38] A semi-microscopic approach to the backbending phenomena in even-even nuclei A A Raduta and R Budaca,International Summer School "Dynamics of open nuclear systems", Predeal 2012,IOP Publishing Journal of Physics: Conference Series 413 (2013) 012028, doi:10.1088/1742-6596/413/1/012028
- [39] Towards a new solvable model for the even-even triaxial nuclei, A. A. Raduta, P. Buganu,International Summer School "Dynamics of open nuclear systems", Predeal 2012,IOP Publishing Journal of Physics: Conference Series 413 (2013) 012029 doi:10.1088/1742-6596/413/1/012029.
- [40] A new picture for the chiral symmetry properties within a particle-core framework, A. A. Raduta, C. M. Raduta and Amand Faessler, J. Phys. G: Nucl. Part. Phys 41(2014)035105(27pp); doi:10.1088/0954-3899/41/3/035105.
- [41] Application of the sextic oscillator potential together with Mathieu and spheroidal function for triaxial and X(5) type nuclei, A. A.Raduta and P. Buganu, EPJ Web of Conference (Firentze 2013) 66, 02086 (2014), DOI: 10.1051/epjconf/20146602086

- [42] Semi-microscopic description of the proton and neutron-induced backbending phenomena in some deformed even-even rare earth nuclei, R. Budaca and A. A. Raduta , EPJ Web of Conference (Firentze 2013) 66, 02017 (2014), DOI: 10.105/epjconf/20146602017
- [43] Deformation properties of the projected spherical single particle basis, A. A. Raduta, R. Budaca, Ann. Phys. [NY], 347 (2014) 141-169.
- [44] Semi-phenomenological description of the chiral bands in  $^{188,190}\text{Os}$ , A. A. Raduta and C. M. Raduta, Jour. Phys. G: Nucl. Part. Phys, 42(2015) 065105, 16pp.
- [45] A. A. Raduta, Nuclear Structure with Coherent States, Book, 621 pp, Springer
- [46] A new renormalization procedure of the quasiparticle random phase approximation, A. A. Raduta and C. M. Raduta, Int. Jour. Mod. Phys. E, Vol. 25, No. 3 (2016) 1650017 (21pp)
- [47] New type of chiral motion in even-even nuclei: The  $^{138}\text{Nd}$  case, A. A. Raduta, Al. H. Raduta and C. M. Petrache, Phys. Rev. C, submitted
- [48] Specific features of magnetic and chiral bands in nuclei, A. A. Raduta, Progress in Particle and Nuclear Physics, in press.
- [49] Unified description of the double beta decay to the first excited quadrupole phonon state in spherical and deformed nuclei, C. M. Raduta,A.A.Raduta, Romanian Progress in Physics, 59,2,(2007) 577-587.
- [50] Fundamente de teoria nucleului (555 pagini): A. A. Raduta, C. M. Raduta, Editura Universitatii Bucuresti,2007, ISBN 978-973-737-388-5.
- [51] Elements of special relativity (185 pagini): A. A. Raduta, C. M. Raduta, Editura Universitatii Bucuresti, 2007, ISBN 978-973-737-352-2.
- [52]The double beta decay  $0+ \rightarrow 2+$  within a boson expansion approach, A. A. Raduta and C. M. Raduta, Physics AUC, vol. 18, 53-76 (2008).
- [53] Unified description of double beta decay  $0+ \rightarrow 2+$  for spherical and deformed nuclei with a projected spherical single particle basis, A. A. Raduta and C. M. Raduta, Annals of Physics, Academy of Romanian Scientists, 2008.
- [54] 2nbb decay to one phonon states, A. A. Raduta and C. M. Raduta, Roumanian Journal of Physics, 53, 9-10 (2008) 1183.

- [55] A possible interpretation of the multiplets  $0^{\pm}$  and  $2^{\pm}$  in  $^{168}\text{Er}$ , A. A. Raduta, F. D. Aaron and C. M. Raduta, Roumanian Journal of Physics, Vol. 54, Nr. 9-10 (2009) 887.
- [56] Extension of the Thomas-Reiche-Kuhn sum rule to a Schiff-like dipole moment, A. A. Raduta and R. Budaca, Rom. Jour. Phys., nr. Vol. 55, Nr.1-2,(2010),75.
- [57] A phenomenological interpretation of the multiplets  $4^{\pm}$  and  $6^{\pm}$ ,A. A. Raduta, P. Buganu, D. Bucurescu and I. Ursu, Rom. Jour. Phys. Vol. 55, No. 9-10 (2010)850.
- [58] Fundamente de teoria nucleului (625 pagini), editia a doua: A. A. Raduta, C. M. Raduta, Editura Universitatii Bucuresti,2010, ISBN 978-973-737-799-9.
- [59] Elements of special relativity (225 pagini), editia a doua: A. A. Raduta, C. M. Raduta, Editura Universitatii Bucuresti, 2010, ISBN 978-973-737-862-0.
- [60] New results for  $2\nu\beta\beta$  decay within a fully renormalized pnQRPA approach with restored gauge symmetry, C. M. Raduta, A. A. Raduta and I. I. Ursu, Romanian Journal of Physics, vol 56, Nr. 7-8 (2011) 894.
- [61] Simultaneous Description of Positive and Negative Parity Bands in even-even and even-odd Nuclei, A. A. Raduta and C. M. Raduta, Physics AUC, 21 (2011)28-53.
- [62] FrpnQRPA approach with the gauge symmetry restored. Application for the  $2\nu\beta\beta$  decay, A. A. Raduta, Rom. Jour. Phys. Vol 57, Nr. 1-2 (2012) 442
- [63] Compact formulas for rotational bands energies in transuranic region, R. Budaca, A. A. Raduta, Rom. Jour. Phys. , 57, 7-8 (2012) 1088.
- [64] Can the coherent state model describe the triaxial nuclei?. P. Buganu, A. A. Raduta, Rom. Jour. Phys. , 57, 7-8 (2012) 1103.
- [65] Energy spectra, E2 transition probabilities and shape deformations for the even-even isotopes 180-196 Pt, P. Buganu and A.A. Raduta, Rom. Jour. Phys.60,1-2(2015) 161.